

SUSTAINABILITY-DATASHEET

UZIN NC 170 LevelStar

Premium Levelling Compound

Indoor Air Quality (VOC)

EMICODE EC 1 PLUS - very low emission

Blue Angel according to DE-UZ 113 - special environmental friendliness

Low in chromate acc. Regulation (EC) No 1907/2006 (REACH)





M1 classified

Life Cyle Assessment (LCA) and Environmental Product Declaration (EPD)

LCA according to ISO 14040/44

Impact indicators:

Functional Unit (FU): 1 kg product; cradle-to-gate (according to EN 15804: Modules A1-A3)

Global warming potential (GWP 100)	[kg CO ₂ -Eq./kg]	0,36	Total use of non-renewable primary energy resources	[MJ/kg]	4,89
Depletion potential of the stratospheric ozone layer (ODP)	[kg R11-Eq./kg]	1,07E-08	Total use of renewable primary energy resources	[MJ/kg]	0,43
Acidification potential of land and water (AP)	[kg SO ₂ -Eq./kg]	8,23E-04	Waste categories:		
Eutrophication potential (EP)	[kg PO₄-Eq./kg]	2,51E-04	Hazardous waste disposed	[kg/kg]	1,03E-05
Formation potential of tropospheric ozone photochemical oxidants (POCP)	[kg Ethen-Eq./kg]	6,42E-05	Non-hazardous waste disposed	[kg/kg]	6,09E-01
Abiotic depletion potential for non-fossil resources (ADPe)	[kg Sb-Eq./kg]	3,26E-07	Radioactive waste disposed	[kg/kg]	4,58E-05
Abiotic depletion potential for fossil resources (ADPf)	[MJ/kg]	4,38	Use of net fresh water	[m³/kg]	0,20

Green Building / Certification of Buildings

DGNB – German Sustainable Building Council

Version 2018. Criteria: ENV 1.2 Risks for local environment (Risiken für die lokale Umwelt)

Product group according to matrix of criteria (Row 8): primer, sealants, levelling compounds and adhesives underneath wall an flooring coverings (for example tiles, textile floorcoverings, wood flooring, resilient flooring – except murals)

Quality level (QS)	Requirements	Compliant
QS 1	GISCODE D1, ZP1, RU 0,5, RU 1, RE05, RE10, RE20 oder RE30 oder RS10	Yes
QS 2	EMICODE EC 1, EC1 Plus, EC1, EC1- Plus oder DE-UZ 113	Yes
QS 3	EMICODE EC 1, EC1 Plus, EC1, EC1- Plus oder DE-UZ 113	Yes
QS 4	EMICODE EC 1, EC1 Plus, EC1, EC1- Plus oder DE-UZ 113	Yes

UZIN | A Brand of Uzin Utz AG

Dieselstrasse 3 | D-89079 Ulm | Telephone +49 (0)731 4097-0 | Telefax +49 (0)731 4097-110 | E-mail info@uzin.com | Internet www.uzin.com 1 of 2



The product is listed in the DGNB na Registration code: 6TXE54 (<u>www.dgn</u>	vigator and labelled with the DGNB-Label. <u>b-navigator.de</u>)	
LEED – Leadership in Energy a	and Environmental Design	
• Version 2014 (v4), updated	I 2019. Credit EQ: Low-Emitting Materials	
Product group: Interior adhesive	es and sealants applied on site (including flooring adhesives).	1
Requirements:		Compliant
VOC content requirements for wet applied products: Compliance with VOC content according to SCAQMD Rule 1168.		
General Emissions Evaluation: Compliance with emission limits according to AgBB scheme or CDPH Standard Method v1.1.		
	ording to SCAQMD Rule 1168 is 0 g/L. Labelled with the EMIC mits according to the AgBB scheme. Thus, the product meets low-emitting materials criteria.	
• Version 2009, updated 201	3. Credit IEQ 4.1: Low-Emitting Materials	
Product group: Adhesives and S	Sealants	
Requirement: Compliance with t	he VOC content according to SCAQMD Rule 1168.	
Additional Test: VOC emission	test according to CDPH Standard Method v1.1 is met.	
Classification: VOC content acc requirements of LEED 2009 for the second s	ording to SCAQMD Rule 1168 is 0 g/L. Thus, the product mee ne low-emitting materials criteria.	ts the
BREEAM - Building Research I	Establishment Environmental Assessment Methodology	
Version 2018. Hea 02 Indoor ai	r quality	
Criteria	Requirements on emission testing	Compliant
Emission criteria (Table 17)	EN 13999 (Parts 1-4) or ISO 16000-9 or CEN/TS 16516 or CDPH	Yes
Exemplary level emission criteria (Additional requirements Table 18)	Standard Method v1.1	Yes
Classification: The product me	ets the emission limits according to BREEAM.	
	neet, Safety Data Sheet, license of EMICODE EC 1 PLUS, cert oduct related information are available for download at www.uz	
	based on our findings and our experience at the time of the iss ct data sheet and the safety data sheet have to be observed.	ue date.
, ,		